

Agenda

- Access SlapOS Master Traditional ERP5
- Access SlapOS Master Modern ERP5
- Request Frontend
- Verification

▼ Details

This tutorial teaches you how to request a frontend for SlapOS Master Interface.

Prerequisites

Before starting, please make sure that you have:

- Deployed a SlapOS Master
- Configured it properly
- Knew how to request a Rapid.Space CDN

▼ Details

If you don't have above prerequisites ready yet, please first get them ready by following tutorials below:

- Deployed a SlapOS Master: [How To Deploy SlapOS Master in Theia \(COMP-Root\) With Embedded Software URL](#) (suggested); or [How To Deploy SlapOS Master in Theia \(COMP-Root\)](#); or [How To Install SlapOS Master on your Server \(COMP-Root\)](#)
- Configured it properly: [How To Configure SlapOS Master \(COMP-Root\)](#)
- Knew how to request a Rapid.Space CDN: [How To Request A Rapid.Space CDN](#)

Access SlapOS Master Traditional ERP5

□

▼ Details

Access the Traditional ERP5 according the approach you deployed the SlapOS master, using `inituser-login` and `inituser-password` from request.

erp5_web_renderjs_ui installed

□

▼ Details

Open `https://[URL]/erp5/portal_templates/` and search for `erp5_web_renderjs_ui` in the Name column to verify if it's **installed**.

Access SlapOS Master Modern ERP5

□

▼ Details

Open `https://[URL]/erp5/web_site_module/renderjs_runner/`, (the last slash "/" is needed). The modern ERP5 interface is already there for you. What we want to do next is to request a frontend for it, so we can access it easily instead of appending `/erp5/web_site_module/renderjs_runner/`.

Request a CDN in Rapid.Space for Modern ERP5

□

▼ Details

Following steps in [How to Request a Rapid.Space CDN](#) to get a free CDN.

Please fill up the following fields in the configuration page:

- "Title": this is the title of your frontend, it is just for naming the service inside the panel, which will be displayed in the list of Services. It is recommended to name it from your domain.
- "Backend URL" : Set the IPv6 (family-default-v6) provided by the request.
- "Backend Type": Set it to "zope"
- "type:zope Backend Path": set it to `/erp5/web_site_module/renderjs_runner/` (the last slash "/" is needed)

Validate

- Get URL from connection parameter of the CDN
- Access ERP5 using init-user and init-password from request

▼ Details

Validate

▼ Details

Get URL from connection parameter of the CDN. Access ERP5 using `inituser-login` and `inituser-password` from request

Now you have 3 URLs for SlapOS Master:

1. Theia IDE: SlapOS Master deployed
2. SlapOS Master Traditional ERP5 requested right after the deployment
3. SlapOS Master Modern ERP5 requested in this tutorial